

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.7Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Your search matched **0** of **1038994** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

dynamic and compile and idle and execute and interpret and



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

dynamic and compile and idle and execute and interpret and initial

Found 45,270 of 132,857

Sort results by

relevance

Display results

expanded form

☒ Save results to a Binder☒ Search Tips☐ Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Parallel execution of prolog programs: a survey](#)
 Gopal Gupta, Enrico Pontelli, Khayri A.M. Ali, Mats Carlsson, Manuel V. Hermenegildo
 July 2001 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
 Volume 23 Issue 4

Full text available: pdf(1.95 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Since the early days of logic programming, researchers in the field realized the potential for exploitation of parallelism present in the execution of logic programs. Their high-level nature, the presence of nondeterminism, and their referential transparency, among other characteristics, make logic programs interesting candidates for obtaining speedups through parallel execution. At the same time, the fact that the typical applications of logic programming frequently involve irregular computation ...

Keywords: Automatic parallelization, constraint programming, logic programming, parallelism, prolog

2 [The family of concurrent logic programming languages](#)
 Ehud Shapiro
 September 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 3

Full text available: pdf(9.62 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Concurrent logic languages are high-level programming languages for parallel and distributed systems that offer a wide range of both known and novel concurrent programming techniques. Being logic programming languages, they preserve many advantages of the abstract logic programming model, including the logical reading of programs and computations, the convenience of representing data structures with logical terms and manipulating them using unification, and the amenability to metaprogramming ...

3 [A transformation system for CLP with dynamic scheduling and CCP](#)
 Sandro Etalle, Maurizio Gabbriellini, Elena Marchiori
 December 1997 **ACM SIGPLAN Notices , Proceedings of the 1997 ACM SIGPLAN symposium on Partial evaluation and semantics-based program manipulation**, Volume 32 Issue 12

Full text available: pdf(1.58 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	(identif\$ or determine\$) near4 idle period
Display:	<input type="text" value="100"/> Documents in Display Format: <input type="text" value="TI,AB"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Wednesday, May 19, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L20</u>	(identif\$ or determine\$) near4 idle period	44	<u>L20</u>
<u>L19</u>	idle period	2496	<u>L19</u>
<u>L18</u>	L17 and (inial\$ or start\$) near5 compil\$	6	<u>L18</u>
<u>L17</u>	(identif\$ or determin\$) near5 idle\$	5323	<u>L17</u>
<u>L16</u>	L14 and (inial\$ or start\$) near5 compil\$ near8 idle\$	0	<u>L16</u>
<u>L15</u>	L14 and (inial\$ or start\$) near5 compil\$ near8 idl\$	1	<u>L15</u>
<u>L14</u>	(identif\$ or determin\$) near5 idl\$	6382	<u>L14</u>
<u>L13</u>	L12 and (identif\$ or determin\$) near9(idle\$ or low\$ or less\$)	0	<u>L13</u>
<u>L12</u>	5247674.pn.	1	<u>L12</u>
<u>L11</u>	I9 and (identif\$ or determin\$) near9(idle\$ or low\$ or less\$)	17	<u>L11</u>
<u>L10</u>	I9 and (identif\$ or determin\$) near(idle\$ or low\$ or less\$)	3	<u>L10</u>
<u>L9</u>	L8 and (plural\$ or multiple) near9 method\$	35	<u>L9</u>
<u>L8</u>	L7 and (initial\$ near9 compil\$)	93	<u>L8</u>
<u>L7</u>	(idle or (low near4 active\$)) and execut\$ and (interpret\$ or translat\$) and compil\$	2222	<u>L7</u>

<u>L6</u>	6240548.pn.	1	<u>L6</u>
<u>L5</u>	6021273.pn.	1	<u>L5</u>
<u>L4</u>	5933635.pn.	1	<u>L4</u>
<u>L3</u>	5995754.pn.	1	<u>L3</u>
<u>L2</u>	6009517.pn.	1	<u>L2</u>
<u>L1</u>	5970249.pn.	1	<u>L1</u>

END OF SEARCH HISTORY